


STAR SERVICE



Built	-	Japan 01 / 2008
Flag / Port of Registry	-	Panama / Panama
GT / NT	- International	- 14030 / 6724
	- Suez	- 14856 / 12285
	- Panama	- / 12244
Summer deadweight	-	13207 mt on 9.70m draft
Length, overall	-	162.50m
Breadth, extreme	-	26.00m
Class	-	NK NS* MNS* RMC* CA, CHG, MPP, LSA, RCF, - 25 DEG C/32 DEG C and equipped for carriage of containers/vehicles
		Bow thruster
IMO Number	-	9438482
Maximum Speed Consumption	-	Ballasted abt 23.0 kts Banana loaded abt 22.5 kts (abt 7.50M draft) Designed loaded abt 21.5 kts (abt 9.05M draft) on (abt 60.5 MT IFO)
		Daily consumption for auxiliaries engine: At sea 6.7 MT/day IFO (at banana keeping condition (without ref-con and c.a. operation) + 0.30 MT MDO
E: mail	-	Master.starservice@amosconnect.com
Call sign	-	3EOMS
Inmarsat Fleet 77	- data	- 600918598
	- telephone	- 764821515/6
	- fax	- 764821517
Inmarsat Satcom C	- telex	- 435703510
Holds / hatches	-	4/4
Temperature compartments / zones	-	15/8
Controlled atmosphere zones	-	8
Common temperature spaces		1 F/AB, 2 AB/CD, 3AB/CD, 4AB/CD
Ventilation		90 air circulations per hour 1 – 2 air renewals per hour
Temperature range	-	+ 15 / - 25° Celsius
USDA	-	TBA
Gratings suitable for pneumatic-tyred forklifts with all-up weight of	-	7 tonnes

Cubic feet / square metres per compartment

	1		2		3		4	
F	55,953	590.8						
A	30,445	326.8	54,187	560.8	54,155	561.2	52,442	540.9
B	18,448	212.3	43,522	494.9	49,610	563.5	45,510	517.4
C			37,271	445.2	46,114	552.3	37,299	445.5
D			30,522	350.8	33,835	390.1	28,852	332.8
Totals	104,846	1129.9	165,502	1851.7	183,714	2067.1	164,103	1836.6

Grand totals 618,165 cubic feet: 6885.3 square metres

Hatch Sizes (metres)

	1			2			3			4		
Weather	12.6	X	10.3	12.6	X	10.3	12.6	X	10.3	12.6	X	10.3
A	12.6	X	10.3	12.6	X	10.3	12.6	X	10.3	12.6	X	10.3
B	9.6	x	6.0	12.6	X	10.3	12.6	X	10.3	12.6	X	10.3
C				12.6	X	10.3	12.6	X	10.3	12.6	X	10.3

Approximate ISO pallets per compartment / banana pallets per compt.

	1	2	3	4
F	455 / 437			
A	244 / 240	428 / 427	436 / 428	416 / 415
B	154 / 153	381 / 374	440 / 428	405 / 394
C		336 / 333	430 / 417	340 / 336
D		263 / 261	296 / 298	252 / 248
Totals	853 / 830	1408 / 1395	1602 / 1571	1413 / 1393

Grand total: 5276 pallets / 5189 banana pallets (1.21.9m x 1.016m)

Maximum Container Capacity

	8'6"		9'6"	Stackweight (20'/40')	
	20 ft	40 ft	40 ft	Nº 1	Nos 2-4
On hatch covers	140	80	80	40	50 / 108
On deck	184	140	140	60	60 / 108
Under deck	112	56	56		80 / 120
Totals	436	276	276		

Note – Maximum reefer container capacity is approx 171 FEU's at 27 tonnes gross. Maximum container load for a particular voyage is subject to stability, stackweight limitations, visibility from bridge and Master's approval.

200 Reefer sockets on deck

Cargo handling gear:- 2 x 8 tonnes hydraulic cranes + 2 x 40 tonnes hydraulic cranes

Particulars are given without guarantee and do not form part of any Charter Party agreement

Issue date : 15 January 2008 – STAR SERVICE

SHIP'S PARTICULARS

SHIP'S NAME: M.V. " LADY ROSEMARY "

NATIONALITY: PANAMANIAN

CALL SIGN: 3EOZ4

OFFICIAL NUMBER: 33650-08

IMO NUMBER: 9355044

INMARSAT-C ID NUMBER: 435 791 910 MMSI: 357919000

INMARSAT-F TELEPHONE: 764 833 765

INMARSAT-F FAX: 764 833 769

CLASSIFICATION NUMBER: 080941

VESSEL TYPE: Reefer Cargo Carrier/Container

WHERE BUILT: Kitanihon Shipbuilding Co. Ltd., Hachinohe, Japan

KEEL LAID: 22-May-07 Dist. From Keel to Highest point: 36.20 M

DELIVERED: 8-Feb-08 Dist. From Keel to Navigation deck: 24.00 M

GROSS: 9,576 TONS Dist. From Keel to Hatchcover: 14.80 M

NET: 5,562 TONS Dist. From Keel to Hatchcoaming: 14.40M

DEADWEIGHT: 10,617.89 TONS

LIGHT SHIP: 6,243.93 TONS Speed/Consumption: Ballast / Laden

DEPTH OVERALL: 143.00 M 19.6 knots / Fuel oil 43.8Tons 43.8Tons

LENGTH REGISTERED: 134.17 M

LENGTH BET. PERPENDICULARS: 133.00 M

BREADTH MOULDED: 22.70 M

DRAFT: LIGHT CONDITION 4.14 M

DRAFT: FULL LOAD/DISPLACEMENT 9.016 M / 16,861.82 T

DRAFT: BANANA 7.64 M

FREEBOARD AT FULL LOAD DRAFT: 4.413 M

FRESH WATER ALLOWANCE: 169 mm

MAIN ENGINE TYPE & NUMBER: AKASAKA 8UEC 50LS II

POWER OUTPUT: (MCR) 11,560 KW x 127 RPM

(NOR) 10,404 KW x 123 RPM

SERVICE SPEED: 19.6 KNOTS

CARGO GEAR: Deck Cranes: Hatch 1 & 3 (SWL 40Tons)

Hatch 2 & 4 (SWL 8.0Tons)

CARGO HOLDS CAPACITY: 4 Holds/4 Hatches, 15 Compartments, 8 Cooling section

553,033 FT3 / 15,660.15 M3 / 6,061.50 M2.

MINIMUM DECK HEIGHT: 2.50 M

INSURANCE: The Japan Ship Owner Mutual Protection & Indemnity

Assosiation

OPERATORS/ADDRESS: FRESH CARRIERS CO., LTD.

7F New Kawai Bldg. 4-6, Nihonbashi-honcho,

3 Chome, Chou-Ko, Tokyo 103-0023 Japan

OWNERS/ADDRESS: MI-DAS LINE S.A.

Vallarino Bldg. 3F, Fifty Second (52) & Elvira Mendez st.

City of Panama, Republic of Panama

MANAGERS/ADDRESS: DOUN KISEN CO., LTD.


1307-8 Koh, Goh, Namikata-Cho, Imabari-City

Ehime-Pref. , Japan 922-2110 Tel: (81)-898-41-9569, Fax: (81)-898-41-6011

CREW COMPLIMENT: 19 ALL FILIPINOS (including Master)


Fuel Oil Vis.	380 cst
Fuel Oil Capacity	1545.17 m3
Diesel oil Capacity	145.88 m3
FW tk. Capacity	267.44 m3
Ballast tk Capacity	461.09 m3

Capt. Rene P. Cubal
Master



SHIP'S PARTICULARS

VESSEL'S NAME		"MV LADY ROSE"		ISSC NO:	ISSUED	EXPIRY
NATIONALITY	PANAMA	IT-7HD-P02341SSC - 06th SEP07 - 05th Mar08				
PORT OF REGISTRY	PANAMA	BY: PANAMA MARITIME AUTHORITY				
OFFICIAL NUMBER	33073-07					
CALL SIGN / ACC CODE	3 E M L 2	002				
TLX NO : SAT COM C	43 5 7 9 9 3 1 0					
INM-F TEL.NO / FAX NO :	761157217 / 761157218 / 761157221					
I. M. O. NO :	9 3 5 5 0 3 2					
TYPE OF VESSEL	Refrigerated Cargo Carrier	NS (EQCV) MNS				
OWNER	MI-DAS LINE S.A.					
MANAGER	DOUN KISEN CO. LTD : email address : doun@poem.ocn.ne.jp					
	TEL.NO: 81-898-11-9569					
OPERATOR/CHARTERER	FRESH CARRIERS					
	EMAIL ADDRESS : mail@freshcarriers.com					
	Tel. No: 81-3-3516-8462					
GROSS INT. TONNAGE	9576 m/tons					
NET TONNAGE	5562 m/tons					
DEADWEIGHT	10630.05 mt					
FULL LOAD DISPLACEMENT	16861.82 mt	DETPH (UPPER DECK MOULDED) 13.40 Mtrs.				
LIGHT SHIP	6231.77 mt					
PANAMA GROSS TONNAGE	9576 mt					
PANAMA NET TONNAGE	8457 mt	ISSUED :	06th Sept,2007			
NET GROSS TONNAGE	10282 mt	ISSUED :	05th Sept,2007			
SUEZ NET TONNAGE	9972.10 mt	ISSUED :				
TROPICAL DRAFT	9.200 M					
MAX.SUMMER DRAFT	9.016 M	FREEBOARD : 4.413 mtrs				
MAX. WINTER DRAFT	8.828 M	LBP				
		Registered				
LENGTH LOA	143 M / 469.04 Ft.	133.00 mtrs / (436.0 ft)			133.0 mtrs	
BREADTH / MOULDED	22.7.00 M / (74.456 ft)				22.7mtrs.	
HEIGHT FM: KEEL TO MAST	36.2 M (118.736 ft.)					
	SHIP'S BUILDER ; KITANIHON SHIPBUILDING					
DATE OF KEEL LAID	13th DEC, 2006	SEA TRAIL ; 22 AUGUST;07				
DATE OF LAUNCHED	09th MARCH, 2007	BUILDER'S HULL NO; : SNO; 373				
DATE OF DELIVERY	06th SEPT. 2007	HACHINOHE CITY, AMOMORI, JAPAN				
MAIN ENGINE KWH / HP	Mitsubishi- AKASAKA 8 UEC 50LS x 1 set					
	M.C.O. 11, 560 kw x 127 rpm	N.O.R. (90% M.C.O.) 10404 Kw x 123 rpm				
SERVICE SPEED	ABT 20.8 kts. on designed Draft Moulded of 6.80 at 90% M.C.O. with 15% sea Margin					
FUEL CAPACITY/ CONS.	1545.17 M3 IFO CST/380	MDO 145.88 M3	ABT: 43.8 MT / DAY			
LUBE OIL / SLUDGE CAP	M3 SLUDGE 36.4 l/hr. 10 M3 DIRTY/ SEAWAGI					
WATER CAPACITY	449.85 M3 BALLAST	267.44TONS FRESH WATER				
LOADING EXEMPTION ISSUED :	HACHINOHE 03 SEPT,2007 / 02 MARCH, 2008					
CLASSIFICATION	(NK) NIPPON KAIJI KYOKAI					
BALE CAPACITY	NIL	NIL				
FLOOR AREA HEIGHT	6061.50 sqr mtrs. / 552,769.0 sr ft.	2.30 /2.50 MTRS DECK HEIGHT				
CONTAINER CAPACITY	100 units / 40 Footers	NIL				
NUMBER OF CREW	19 PERSONS					
INMARSAT F- TEL NO :	761157217 / 761157218	HP = 14149.44 (90%)				
EMAIL ADDRESS :	master.ladyrose@amosconnect.com	15721.6 (100%)				
INMARSAT F- FAX NO :	761157221					
JRC INMARSAT C NO;	435799310					
MMSI NO :	357993000					
CRANE CAPACITY:	2 X 40 TONS					
	2 X 8 TONS					



CAPT. JEFFREY G. GAYOSO
MASTER, M.V. LADY ROSE